

Pour en savoir plus

1. Goussard JP, Riché D. Diététique et tendinites. In: Vigot Ed. Guide nutritionnel des sports d'endurance, 1999.
2. CREDOC, enquêtes CCAF 2004 et 2007.
3. Hultman EH, Nilsson LH. In: Pernow B., Saltin B. Liver glycogen in man: muscle metabolism during exercise. New York : Plenum Press, 1977 : 143-51.
4. Ancellin R, Saul C, Thomann C, Coipel M. Glucides et Santé : état des lieux, évaluation et recommandations. AFFSSA 2004 : 35-39 et 88-93.
5. Elliot TA, Cree MG, Sanford AP et al. Milk ingestion stimulates net muscle protein synthesis following resistance exercise. Med Sci Sport Exerc 2006 ; 38 : 667-74.
6. Wilkinson SB, Tarnopolsky MA, Macdonald MJ et al. Consumption of fluid skim milk promotes greater muscle protein accretion after resistance exercise than does consumption of an isonitrogenous and isoenergetic soy-protein beverage. Am J Clin Nutr 2007 ; 85 : 1031-40.
7. Bigelman KA, Fan EH, Chapman DP et al. Effects of six weeks of quercetin supplementation on physical performance in ROTC cadets. Mil Med 2010 ; 175 : 791-8.
8. Gauche E, Lepers R, Rabita G et al. Vitamin and mineral supplementation and neuromuscular recovery after a running race, Med Sci Sports Exerc 2006 ; 38 : 2110-7.
9. McGinley C, Shafiq AA, Donnelly AE. Does antioxidant vitamin supplementation protect against muscle damage? Sports Med 2009 ; 39 : 1011-32.
10. Marcus AJ. The eicosanoids in biology and medicine. J Lipid Res 1984 ; 25 : 1511-6.
11. Nordoy A. Is there a rational use for n-3 fatty acid(fish oils) in clinical medicine? Drugs 1991 ; 42 : 331.
12. Riché D. Guide nutritionnel des sports d'endurance. 2e Ed., Vigot Ed, 1998.
13. Resch M. Eating disorders in sports. Orv Hetil 2007 ; 148 :1899-902.