

# Bibliographie

1. Kaux JFDN, Crielaard JM. Platelet rich plasma: traitement des tendinopathies chroniques ? Revue de la littérature. *J Trauma Sport* 2007 ; 24 : 99-102.
2. de Mos M, van der Windt AE, Jahr H et al. Can platelet-rich plasma enhance tendon repair? A cell culture study. *Am J Sports Med* 2008 ; 36 : 1171-8.
3. Foster TE, Puskas BL, Mandelbaum BR et al. Platelet-rich plasma: from basic science to clinical applications. *Am J Sports Med* 2009 ; 37 : 2259-72.
4. Cho JM, Lee YH, Baek RM, Lee SW. Effect of platelet-rich plasma on ultraviolet b-induced skin wrinkles in nude mice. *J Plast Reconstr Aesthet Surg. Netherlands: A 2010 British Association of Plastic, Reconstructive and Aesthetic Surgeons. Elsevier* 2010 : e31-9.
5. Graziani F, Ivanovski S, Cei S et al. The in vitro effect of different PRP concentrations on osteoblasts and fibroblasts. *Clin Oral Implants Res* 2006 ; 17 : 212-9.
6. Lopez-Vidriero E, Goulding KA, Simon DA et al. The use of platelet-rich plasma in arthroscopy and sports medicine: optimizing the healing environment. *Arthroscopy* 2010 ; 26 : 269-78.
7. Jobe FW, Ciccotti MG. Lateral and medial epicondylitis of the elbow. *J Am Acad Orthop Surg* 1994 ; 2 : 1-8.
8. Sanchez M, Anitua E, Orive G et al. Platelet-rich therapies in the treatment of orthopaedic sport injuries. *Sports Med* 2009 ; 39 : 345-54.
9. Edwards SG, Calandruccio JH. Autologous blood injections for refractory lateral epicondylitis. *J Hand Surg Am* 2003 ; 28 : 272-8.
10. Mishra A, Pavelko T. Treatment of chronic elbow tendinosis with buffered platelet-rich plasma. *Am J Sports Med* 2006 ; 34 : 1774-8.
11. Barrett SL. Growth factors and for chronic plantar fasciitis. *Podiatry Today*, 2004.
12. Filardo G, Kon E, Della Villa S et al. Use of platelet-rich plasma for the treatment of refractory jumper's knee. *Int Orthop* 2009 ; 34 : 909-15.
13. Ekdahl M, Wang JH, Ronga M, Fu FH. Graft healing in anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc* 2008 ; 16 : 935-47.
14. Sanchez M, Anitua E, Azofra J et al. Ligamentization of tendon grafts treated with an endogenous preparation rich in growth factors: gross morphology and histology. *Arthroscopy* 2010 ; 26 : 470-80.
15. Saito M, Takahashi KA, Arai Y et al. Intraarticular administration of platelet-rich plasma with biodegradable gelatin hydrogel microspheres prevents osteoarthritis progression in the rabbit knee. *Clin Exp Rheumatol* 2009 ; 27 : 201-7.
16. Filardo G, Kon E, Buda R et al. Platelet-rich plasma intra-articular knee injections for the treatment of degenerative cartilage lesions and osteoarthritis. *Knee Surg Sports Traumatol Arthrosc* 2011 ; 19 : 528-35.
17. Giovanini AF, Gonzaga CC, Zielak JC et al. Platelet-rich plasma (PRP) impairs the craniofacial bone repair associated with its elevated TGF-beta levels and modulates the co-expression between collagen III and alpha-smooth muscle actin. *J Orthop Res* 2011 ; 29 : 457-63.
18. Kajikawa Y, Morihara T, Sakamoto H et al. Platelet-rich plasma enhances the initial mobilization of circulation-derived cells for tendon healing. *J Cell Physiol* 2008 ; 215 : 837-45.
19. Marx RE, Carlson ER, Eichstaedt RM et al. Platelet-rich plasma: Growth factor enhancement for bone grafts. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1998 ; 85 : 638-46.
20. Wang-Saegusa A, Cugat R, Ares O et al. Infiltration of plasma rich in growth factors for osteoarthritis of the knee short-term effects on function and quality of life. *Arch Orthop Trauma Surg* 2010 ; 131 : 311-7.